



**PTF 0,3/ 4-BB-1,8-H**

Order No.: 1826101

<http://eshop.phoenixcontact.co.uk/phoenix/treeViewClick.do?UID=1826101>

Plug component, Nominal current: 10 A, Rated voltage (III/2): 25 V,  
Number of positions: 4, Pitch: 1.8 mm, Color: White, Contact surface:  
Silver

Commercial data	
EAN	 4 046356 834032
Pack	250
Customs tariff	85444290
Gross weight in pieces	0.70 g
Product key	AACNAA
Country of Origin	DE
Catalog page information	Page 401 (C-1-2013)

## Product notes

WEEE/RoHS-compliant since:  
24/10/2012



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

## Certificates



Certification

UL Recognized

Certifications applied for:


Certification Ex:

---

## Drawings

### Dimensioned drawing

---



**Address**

PHOENIX CONTACT Ltd  
Halesfield 13  
Telford / Shropshire / TF7 4PG,England  
Phone 01952 681 700  
Fax 01952 681 799  
<http://www.phoenixcontact.co.uk>



Phoenix Contact Ltd.  
Technical modifications reserved;